



AGENDA

The Columbia Architectural Design Review Team will meet on Tuesday, June 7th, 2022 at 8:00 a.m. in Conference Room A on the basement level of City Hall, 700 N. Garden Street to consider the following:

I. Roll Call

II. Approval Of Minutes

III. Old Business

IV. New Business

8:10 AM 22-0119 - 2008 Main Street - Modify Façade Of Existing Building
Request from Richard Thompson on behalf of Ritco Group, Inc for façade modifications at 2008 S. MAIN STREET.

.A. 22-0119_Staff Report

Documents:

[22-0119_STAFF REPORT 2008 MAIN STREET.DOCX](#)

8:25 AM 22-0124 - 915 S. Garden Street - Modify Façade Of Existing Building
After-the-fact request from Bobby Bishop to modify the façade of an existing commercial building at 915 S. GARDEN STREET.

.A. 22-0124 Staff Report

Documents:

[22-0124_STAFF REPORT 915 S GARDEN.DOCX](#)

8:40 AM 22-0128 - 400 Bear Creek Pike - Proposed Commercial Building In Planned Unit Development
Request from Greg Gamble on behalf of Big Bear Bluffs LLC for approval of

commercial facades which are proposed as part of a larger mixed-use Planned Unit Development located on [Tax Map 90 Parcels 16 and 12.01](#) at approximately 400 Bear Creek Pike.

.A. 22-0128_Staff Report

Documents:

[22-0128_STAFF REPORT 400 BEAR CREEK PIKE.DOCX](#)

8:55 AM 22-0137 - 1002 Carmack Blvd - Modify Façade Of Existing Building
Request from Chet Rhodes on behalf of Gholamreza Ebrahimzadeh to modify the façade of a structure at [1002 CARMACK BLVD](#) in order to convert the space from a day care to a tire shop.

.A. 22-0137_Staff Report

Documents:

[22-0137 STAFF REPORT 1002 CARMACK BLVD.DOCX](#)

9:10 AM 22-0139 - 376 Bear Creek Pike - Add Covered Porch To An Existing Building
Request from Cindy Lou Peowski to remove a previously approved and partially constructed pergola and add a covered porch to an existing structure at [376 BEAR CREEK PIKE](#).

.A. 22-0139_Staff Report

Documents:

[22-0139_376 BEAR CREEK PIKE.DOCX](#)

9:25 AM 22-0140 - 1706 Wedgewood Drive - Modify Façade Of Existing Building
Request from George Nuber to modify the facade of an existing office building located at [1706 WEDGEWOOD DRIVE](#).

22-0140 Staff Report

Documents:

[22-0140_STAFF REPORT 1706 WEDGEWOOD DRIVE.DOCX](#)

9:40 AM 22-0142 - 5000 Trotwood Avenue - New Commercial Façade
Request from Bhavin "Bobby" Patel for design review of a new retail strip center located at [5000 TROTWOOD AVENUE](#).

.A. 22-0142_Staff Report

Documents:

[22-0142_STAFF REPORT 5000 TROTWOOD AVE.DOCX](#)

V. Adjourn

Anyone requesting accommodations due to disabilities should contact the City's ADA Coordinator at 931-560-1570 prior to the meeting.

The [2022 meeting schedule](#) can be found on the City of Columbia Architectural Design Review Team [webpage](#).

For other questions, please contact the [Department of Development Services](#) at 931-560-1560.

CONTACT INFORMATION

Austin Brass, City Planner, abrass@columbiatn.com , 931-560-1560

DOCKET/CASE/APPLICATION NUMBER

ART 22-0119

APPLICANT/OWNER

Ritco Group, inc./ Frank McBride Jr.

MEETING DATE

N/A

PROPERTY ADDRESS/LOCATION

2008 South Main Street

PROJECT DESCRIPTION:

This is request is for a façade modification of an existing pre-fabricated metal building that formerly served as a Spectrum sales office.



EXISTING ZONING	EXISTING LAND USE	SURROUNDING ZONING & LAND USE	SITE IMPROVEMENTS	Historic District
MCD (Mixed Commercial District)	Vacant Former Retail Use	MCD/ R-6 & Mixed Uses/ Single-Family Residential	Façade Modification	N/A

Building Façade Design Standards Referenced:

Sec. 6.1 General 6.1.6 Building façade Design Standards

B. Standards

1. All facades shall be constructed of one or a combination of the following materials: concrete aggregate, stucco, brick, stone, glass or wood, faced concrete block.
2. No portion of building constructed of unadorned (un-faced) concrete masonry units or corrugated and/or sheet metal shall be used.
3. Monolithic buildings are prohibited and no single façade extending unbroken more than approximately 35 feet in a horizontal plane may be visible from a public roadway. Compliance may be obtained through the following:
 - a. The use of projections or recesses (articulation).
 - b. The use of architectural detail to provide visual interest including but not limited to: columns, large windows, entry ways, beams, poles, or glass.

C. Alternative Compliance

Alternative Compliance may be obtained using the Design Review process. In such cases, the Architectural Design Review Team shall have the authority to approve the following:

1. Materials of construction not listed, provided the materials used are implemented in a manner that enhances the surrounding area and complies with the intent of the code.

PLANNING STAFF EVALUATION:

This request is for the façade modification of an existing pre-fabricated metal building. The modification consists of recladding of a corrugated metal façade with fiber cement board and additional window openings including a front tower addition.

- The front facade consists of the recladding of metal with fiber cement board and the material change from brick to a ledge stone. Alternative compliance has been requested to allow for corrugated metal accents to the front façade. These materials meet the design standards as referenced with the exception of corrugated metal.
- A left and right elevation indicate the primary facade materials of a fiber cement board and batten including fiber cement board lap siding. In addition, a metal clad awning has been added over door openings. These materials meet the design standards as referenced.
- The rear elevation consists of the primary façade materials of board and batten lap siding including horizontal siding material consisting of fiber cement board. These materials meet the design standards as referenced.
- Alternative compliance has been requested to allow for minor sections of corrugated metal to be integrated in the faced change located at a proposed tower and end cap of the elevations.

CONTACT INFORMATION

Austin Brass, City Planner, abrass@columbiatn.com , 931-560-1560

DOCKET/CASE/APPLICATION NUMBER

ART 22-0124

APPLICANT/OWNER

Bobby Bishop

MEETING DATE

N/A

PROPERTY ADDRESS/LOCATION

915 S Garden Street

PROJECT DESCRIPTION:

This request is for the removal of two garage door openings to be replaced with storefront glass and doorways located at the rear elevation.



EXISTING ZONING	EXISTING LAND USE	SURROUNDING ZONING & LAND USE	SITE IMPROVEMENTS	Historic District
CBD (Central Business District)	Medical Office	CBD/ GCS & Auto Sales Retail	Façade Modification	N/A

Building Façade Design Standards Referenced:

Sec. 6.1 General 6.1.6 Building façade Design Standards

B. Standards

1. All façades shall be constructed of one or a combination of the following materials: concrete aggregate, stucco, brick, stone, glass or wood, faced concrete block.
2. No portion of building constructed of unadorned (un-faced) concrete masonry units or corrugated and/or sheet metal shall be used.
3. Monolithic buildings are prohibited and no single façade extending unbroken more than approximately 35 feet in a horizontal plane may be visible from a public roadway. Compliance may be obtained through the following:
 - a. The use of projections or recesses (articulation).
 - b. The use of architectural detail to provide visual interest including but not limited to: columns, large windows, entry ways, beams, poles, or glass.

C. Alternative Compliance

Alternative Compliance may be obtained using the Design Review process. In such cases, the Architectural Design Review Team shall have the authority to approve the following:

1. Materials of construction not listed, provided the materials used are implemented in a manner that enhances the surrounding area and complies with the intent of the code.

PLANNING STAFF EVALUATION:

This request is for modification of two existing garage door openings to be replaced with storefront style windows and glass. This request would comply with the guidelines as cited in section 6.1

CONTACT INFORMATION

Austin Brass, City Planner, abrass@columbiatn.com , 931-560-1560

DOCKET/CASE/APPLICATION NUMBER

ART 22-0128

APPLICANT/OWNER

Greg Gamble/ Big Bear Bluffs LLC.

MEETING DATE

N/A

PROPERTY ADDRESS/LOCATION

**400 Bear Creek Pike/ Tax Map 90
Parcel 12.01 & 16.0**

PROJECT DESCRIPTION:

This request is for the new construction of a day care center to be located in a proposed mixed use planned unit development currently under review before the Planning Commission. The primary façade materials consist of brick with a stone base. Additional cladding materials of the gable consist of fiber lap siding and cedar shake siding.



EXISTING ZONING	EXISTING LAND USE	SURROUNDING ZONING & LAND USE	SITE IMPROVEMENTS	Historic District
RS-40/ R-10 (Proposed RM-1/R-6 Mixed-Use PUD)	Vacant Land	County Zoning/ Vacant Land	New Construction (Day Care-Facility)	N/A

Building Facade Design Standards Referenced:

Sec. 6.1 General 6.1.6 Building façade Design Standards

B. Standards

1. All facades shall be constructed of one or a combination of the following materials: concrete aggregate, stucco, brick, stone, glass or wood, faced concrete block.
2. No portion of building constructed of unadorned (un-faced) concrete masonry units or corrugated and/or sheet metal shall be used.
3. Monolithic buildings are prohibited and no single façade extending unbroken more than approximately 35 feet in a horizontal plane may be visible from a public roadway. Compliance may be obtained through the following:
 - a. The use of projections or recesses (articulation).
 - b. The use of architectural detail to provide visual interest including but not limited to: columns, large windows, entry ways, beams, poles, or glass.

C. Alternative Compliance

Alternative Compliance may be obtained using the Design Review process. In such cases, the Architectural Design Review Team shall have the authority to approve the following:

1. Materials of construction not listed, provided the materials used are implemented in a manner that enhances the surrounding area and complies with the intent of the code.

PLANNING STAFF EVALUATION:

- The front facade (west elevation) consists of a primary material of brick accented by a stone base and fiber cement board clad gables. These materials meet the design standards as referenced with no unbroken façade plane less than 35’.
- The east elevation consists of a primary material of brick accented by a stone base. These materials meet the design standards as referenced with no unbroken façade plane less than 35’
- The south and north elevation consist of a primary façade material of brick accented by a stone base. These materials meet the design standards as referenced with no unbroken façade plane less than 35’. As noted, the mechanical units on the north elevation is proposed to be screened by prefinished metal louvers.



CONTACT INFORMATION

Austin Brass, City Planner, abrass@columbiatn.com , 931-560-1560

DOCKET/CASE/APPLICATION NUMBER

ART 22-0137

APPLICANT/OWNER

Rhodes Engineering/ Gholamreza Ebrahimzadeh

MEETING DATE

N/A

PROPERTY ADDRESS/LOCATION

1002 Carmack Blvd

PROJECT DESCRIPTION:

This request is for the addition of a garage door opening on the front elevation of 1002 S Carmack Blvd.



EXISTING ZONING	EXISTING LAND USE	SURROUNDING ZONING & LAND USE	SITE IMPROVEMENTS	Historic District
GCS (General Commercial Services)	Former Day Care	GCS & Gas Sales & Auto Repair	Façade Modification	N/A

Building Façade Design Standards Referenced:

Sec. 6.1 General 6.1.6 Building façade Design Standards

B. Standards

1. All façades shall be constructed of one or a combination of the following materials: concrete aggregate, stucco, brick, stone, glass or wood, faced concrete block.
2. No portion of building constructed of unadorned (un-faced) concrete masonry units or corrugated and/or sheet metal shall be used.
3. Monolithic buildings are prohibited and no single façade extending unbroken more than approximately 35 feet in a horizontal plane may be visible from a public roadway. Compliance may be obtained through the following:
 - a. The use of projections or recesses (articulation).
 - b. The use of architectural detail to provide visual interest including but not limited to: columns, large windows, entry ways, beams, poles, or glass.

C. Alternative Compliance

Alternative Compliance may be obtained using the Design Review process. In such cases, the Architectural Design Review Team shall have the authority to approve the following:

1. Materials of construction not listed, provided the materials used are implemented in a manner that enhances the surrounding area and complies with the intent of the code.

PLANNING STAFF EVALUATION:

This request is for a minor façade modification for the removal of an existing window area for the placement of a 10 X 9 garage door opening that will serve a proposed new use of a tire shop.

CONTACT INFORMATION

Austin Brass, City Planner, abrass@columbiatn.com , 931-560-1560

DOCKET/CASE/APPLICATION NUMBER

ART 22-0139

APPLICANT/OWNER

Cindy Lou Peowski/ Rock N Roll Jesus LLC

MEETING DATE

N/A

PROPERTY ADDRESS/LOCATION

376 Bear Creek Pike

PROJECT DESCRIPTION:

This request is for the addition of a covered porch with wood posts located at the front, rear, and side elevation of an existing building.

A previous request was approved for ART case 21-0264 to allow for a pergola structure.



EXISTING ZONING	EXISTING LAND USE	SURROUNDING ZONING & LAND USE	SITE IMPROVEMENTS	Historic District
GCS	Commercial	GCS/ Residential	Covered Porch Addition	N/A

Building Facade Design Standards Referenced:

Sec. 6.1 General 6.1.6 Building façade Design Standards

B. Standards

1. All facades shall be constructed of one or a combination of the following materials: concrete aggregate, stucco, brick, stone, glass or wood, faced concrete block.
2. No portion of building constructed of unadorned (un-faced) concrete masonry units or corrugated and/or sheet metal shall be used.
3. Monolithic buildings are prohibited and no single façade extending unbroken more than approximately 35 feet in a horizontal plane may be visible from a public roadway. Compliance may be obtained through the following:
 - a. The use of projections or recesses (articulation).
 - b. The use of architectural detail to provide visual interest including but not limited to: columns, large windows, entry ways, beams, poles, or glass.

C. Alternative Compliance

Alternative Compliance may be obtained using the Design Review process. In such cases, the Architectural Design Review Team shall have the authority to approve the following:

1. Materials of construction not listed, provided the materials used are implemented in a manner that enhances the surrounding area and complies with the intent of the code.

PLANNING STAFF EVALUATION:

The proposal is for an attached porch addition located on the front, rear, and side elevation of 376 Bear Creek Pike. The proposed gable of the porch will be cladded in a board and batten fiber cement board including the primary gable and left and rear elevation. This material would be an approved guideline material.

CONTACT INFORMATION

Austin Brass, City Planner, abrass@columbiatn.com , 931-560-1560

DOCKET/CASE/APPLICATION NUMBER

ART 22-0140

APPLICANT/OWNER

George Nuber/ Dr. Sam Hutton

MEETING DATE

N/A

PROPERTY ADDRESS/LOCATION

1706 Wedgewood Dr

PROJECT DESCRIPTION:

This is request is for a façade modification and 333 SF addition to an existing dentistry office located at 1706 Wedgewood Drive.

This addition will be visible from Hatcher Lane, a collector street.



EXISTING ZONING	EXISTING LAND USE	SURROUNDING ZONING & LAND USE	SITE IMPROVEMENTS	Historic District
RM-2	Dentistry Office	RM-2/ GCS/ Multi-Family	Façade Modification	N/A

Building Façade Design Standards Referenced:

Sec. 6.1 General 6.1.6 Building façade Design Standards

B. Standards

1. All façades shall be constructed of one or a combination of the following materials: concrete aggregate, stucco, brick, stone, glass or wood, faced concrete block.
2. No portion of building constructed of unadorned (un-faced) concrete masonry units or corrugated and/or sheet metal shall be used.
3. Monolithic buildings are prohibited and no single façade extending unbroken more than approximately 35 feet in a horizontal plane may be visible from a public roadway. Compliance may be obtained through the following:
 - a. The use of projections or recesses (articulation).
 - b. The use of architectural detail to provide visual interest including but not limited to: columns, large windows, entry ways, beams, poles, or glass.

C. Alternative Compliance

Alternative Compliance may be obtained using the Design Review process. In such cases, the Architectural Design Review Team shall have the authority to approve the following:



1. Materials of construction not listed, provided the materials used are implemented in a manner that enhances the surrounding area and complies with the intent of the code.

PLANNING STAFF EVALUATION:

This request is for the façade modification of an existing pre-fabricated metal building. The modification consists of recladding of a corrugated metal façade with fiber cement board and additional window openings including a front tower addition.

- The proposed west (front) building elevation will consist of new aluminum storefront infill with existing brick veneer to remain. A new addition will consist of a primary façade material of fiber cement board with a continuation of a hipped roof and matching architectural shingles. As noted, fiber cement board is an appropriate material per the design standards referenced.
- The east and south elevations consist of existing brick with new aluminum wood clad window openings.

CONTACT INFORMATION

Austin Brass, City Planner, abrass@columbiatn.com , 931-560-1560

DOCKET/CASE/APPLICATION NUMBER

ART 22-0142

APPLICANT/OWNER

Bobby Patel/ Pranay Patel

MEETING DATE

N/A

PROPERTY ADDRESS/LOCATION

**5000 Trotwood Ave/ Tax Map 112
Parcel 4.03/ 4.04**

PROJECT DESCRIPTION:

This request is for the new construction of a 7,500 SF retail center that will consist of five tenant spaces. Primary façade materials will consist of brick with a soldiered base and cap accented by a finished cast stone rock face at the base of the pilaster columns. This request meets the design guidelines as referenced below for the use of façade materials and modulation.



EXISTING ZONING	EXISTING LAND USE	SURROUNDING ZONING & LAND USE	SITE IMPROVEMENTS	Historic District
GCS (General Commercial Services)	Vacant Land	GCS/ R-10 & Single-Family Residential/ Gas Station	5 tenant retail center	N/A

Building Facade Design Standards Referenced:

Sec. 6.1 General 6.1.6 Building façade Design Standards

B. Standards

1. All facades shall be constructed of one or a combination of the following materials: concrete aggregate, stucco, brick, stone, glass or wood, faced concrete block.
2. No portion of building constructed of unadorned (un-faced) concrete masonry units or corrugated and/or sheet metal shall be used.
3. Monolithic buildings are prohibited and no single façade extending unbroken more than approximately 35 feet in a horizontal plane may be visible from a public roadway. Compliance may be obtained through the following:
 - a. The use of projections or recesses (articulation).
 - b. The use of architectural detail to provide visual interest including but not limited to: columns, large windows, entry ways, beams, poles, or glass.

C. Alternative Compliance

Alternative Compliance may be obtained using the Design Review process. In such cases, the Architectural Design Review Team shall have the authority to approve the following:

1. Materials of construction not listed, provided the materials used are implemented in a manner that enhances the surrounding area and complies with the intent of the code.

PLANNING STAFF EVALUATION:

- The proposed west (rear) building elevation will consist of a primary façade material of brick accented by brick soldiering within the base and the columns. Each individual pilaster will be accented by a stone medallion detail. Aluminum storefront windows will be facing the Cayce Lane elevations. The front elevation will consist of the same primary façade materials as the rear elevation with a combination of brick details separated by brick pilasters.
- The right and left (side) elevations will consist of a primary brick material as all other elevations with a 4' recessed parapet.
- It shall be recommended that as a condition of approval that all rooftop HVAC equipment be screened by the raised parapet with no exterior visibility.