



NOTES:

1. MATERIALS, CONSTRUCTION AND QUANTITY CONTROL OF MASONRY SHALL BE IN ACCORDANCE WITH INTERNATIONAL BUILDING CODE (IBC).
2. MATERIALS USED SHOULD BE CONSISTENT WITH THOSE USED IN THE CONSTRUCTION OF AND ARCHITECTURAL STYLE OF THE PRINCIPAL BUILDING. SHALL BE COMPLIANT WITH THE ZONING ORDINANCE AND ALL OTHER APPLICABLE REGULATIONS
3. CONCRETE SLAB: MONOLITHIC, MIN. 6" THICKNESS W/IMBEDDED 6"X6"/ 10X10 WELDED WIRE FABRIC (W.W.F.), CLASS A 3000 P.S.I. CONCRETE FILLED CELLS: WITH 1-#5 VERTICAL REBAR TIED TO FOOTER STEEL AT EACH CORNER AND EVERY 4' O.C.
4. BOLLARD: 3'-6" HIGH, 6" DIAMETER STEEL PIPE BOLLARD FILLED WITH CONCRETE, PAINTED TRAFFIC YELLOW
5. ELEMENTS OF THIS DETAIL MAY BE ALTERED AND APPROVED BY THE CITY ENGINEER



CITY OF COLUMBIA
DEVELOPMENT SERVICES DEPARTMENT
ENGINEERING DIVISION

STANDARD DETAILS

DUMPSTER PAD AND ENCLOSURE

(NTS)

DATE
6/9/2022

MD-01